```
=> d his full

     (FILE 'HOME' ENTERED AT 10:41:08 ON 11 MAY 2005)

     FILE 'HCAPLUS' ENTERED AT 10:41:13 ON 11 MAY 2005
L1            1 SEA ABB=ON  PLU=ON  (GB2000-12083# OR GB1999-20397# OR
                WO2000-GB3306#)/AP,PRN

     FILE 'REGISTRY' ENTERED AT 10:42:35 ON 11 MAY 2005

     FILE 'HCAPLUS' ENTERED AT 10:42:43 ON 11 MAY 2005
L2            TRA L1 1- RN :       47 TERMS

     FILE 'REGISTRY' ENTERED AT 10:42:43 ON 11 MAY 2005
L3           47 SEA ABB=ON  PLU=ON  L2

     FILE 'WPIX' ENTERED AT 10:42:46 ON 11 MAY 2005
L4            1 SEA ABB=ON  PLU=ON  (GB2000-12083# OR GB1999-20397# OR
                WO2000-GB3306#)/AP,PRN

=> b hcap
FILE 'HCAPLUS' ENTERED AT 10:43:12 ON 11 MAY 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
the American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 11 May 2005  VOL 142 ISS 20
FILE LAST UPDATED: 10 May 2005  (20050510/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

 This file contains CAS Registry Numbers for easy and accurate
 substance identification.

=> d all l1

L1   ANSWER 1 OF 1  HCAPLUS  COPYRIGHT 2005 ACS on STN
AN   2001:167843  HCAPLUS
DN   134:237835
ED   Entered STN:  09 Mar 2001
TI   Method for coupling molecules such as peptides and oligonucleotides
IN   Gait, Michael John; Stetsenko, Dmitry
PA   Medical Research Council, UK
SO   PCT Int. Appl., 39 pp.
     CODEN: PIXXD2
DT   Patent
LA   English
IC   ICM  A61K047-48
CC   34-3 (Amino Acids, Peptides, and Proteins)
     Section cross-reference(s): 33
FAN. CNT 1
     PATENT NO.          KIND   DATE        APPLICATION NO.        DATE
     ------------------  ----   --------    ---------------------  --------
PI   WO 2001015737       A2     20010308    WO 2000-GB3306         20000825 <--
     WO 2001015737       A3     20011115
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
             HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT,
             LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU,
```

6
A

```
            SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
            YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
        RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
            DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
            CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
    CA 2382499          AA    20010308    CA 2000-2382499         20000825 <--
    EP 1207909          A2    20020529    EP 2000-956666          20000825 <--
       R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
          IE, SI, LT, LV, FI, RO, MK, CY, AL
    JP 2003508450       T2    20030304    JP 2001-520148          20000825 <--
PRAI GB 1999-20397      A     19990827  <--
    GB 2000-12083       A     20000518  <--
    WO 2000-GB3306      W     20000825  <--
CLASS
 PATENT NO.       CLASS  PATENT FAMILY CLASSIFICATION CODES
 ---------------  -----  ----------------------------------------------------

 WO 2001015737    ICM    A61K047-48
OS   MARPAT 134:237835
AB   A method is given for linking a first mol. M1-NH2 with a second mol. M2-OH
     which comprises reaction of a compound of formula M1-NHCO-A-C(O)SR1 (M1 is
     the residue of a mol. bearing an amino group, A is an alkylene or arylene
     group, R1 is alkyl or aryl) with a compound of formula M2-O-B(D-SR2)NH2 (M2
     is the residue of a mol. bearing a hydroxy group, B is a linker, D is C1-4
     alkylene or C3-12 arylene, R2 is H or a thiol protecting group). In
     addition, this invention relates to conjugate products of the coupling
     reaction, reagents for modifying M1-NH2 and M2-OH, and kits comprising
     these reagents. Thus, coupling reagents pentafluorophenyl S-benzyl
     thiosuccinate and 4-N-α-Fmoc-S-tert-butylsulfenyl-L-
     cysteinylpiperidyl 2-cyanoethyl N,N-diisopropylphosphoramidite were prepared
     and applied to the automated solid phase synthesis of peptide N-terminal
     S-benzyl thioesters and 5'-cysteinyl oligonucleotides and solution-phase
     synthesis of peptide-N→5'-oligonucleotide conjugates.
ST   coupling method peptide oligonucleotide prepn
IT   Peptide coupling
        (method for coupling mols. such as peptides and oligonucleotides)
IT   Oligonucleotides
     Peptides, preparation
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (method for coupling mols. such as peptides and oligonucleotides)
IT   100-53-8, Benzyl mercaptan  108-30-5, Succinic anhydride, reactions
     771-61-9, Pentafluorophenol  5382-16-1, 4-Hydroxypiperidine  5961-85-3,
     Tris(2-carboxyethyl)phosphine  50910-54-8, trans-4-Aminocyclohexanol
     hydrochloride  89992-70-1  102691-36-1  115520-21-3  143038-41-9
     RL: RCT (Reactant); RACT (Reactant or reagent)
        (method for coupling mols. such as peptides and oligonucleotides)
IT   110556-14-4P  294172-31-9P  294172-32-0P  294172-33-1P  294172-35-3P
     294172-37-5P  294172-39-7P  329185-90-2P  329185-91-3P  329185-94-6P
     329185-97-9P
     RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
     (Reactant or reagent)
        (method for coupling mols. such as peptides and oligonucleotides)
IT   294172-40-0P  294172-41-1P  294172-42-2P  294172-43-3P  294172-44-4P
     294172-45-5P  294172-46-6P  294172-47-7P  294172-48-8P  294172-49-9P
     294172-50-2P  294900-76-8P  294900-77-9P  294900-78-0P  294900-79-1P
     294900-80-4P  295810-35-4P  295810-36-5P  295810-37-6P  295810-38-7P
     295810-39-8P  295810-40-1P  295810-41-2P  329186-01-8P  329991-05-1P
     329991-06-2DP, fluorescein bound
     RL: SPN (Synthetic preparation); PREP (Preparation)
        (method for coupling mols. such as peptides and oligonucleotides)


=> b wpix
FILE 'WPIX' ENTERED AT 10:43:18 ON 11 MAY 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE LAST UPDATED:          6 MAY 2005      <20050506/UP>
MOST RECENT DERWENT UPDATE:     200529        <200529/DW>
DERWENT WORLD PATENTS INDEX SUBSCRIBER FILE, COVERS 1963 TO DATE
```

>>> FOR A COPY OF THE DERWENT WORLD PATENTS INDEX STN USER GUIDE,
PLEASE VISIT:
http://www.stn-international.de/training_center/patents/stn_guide.pdf <<<

>>> FOR DETAILS OF THE PATENTS COVERED IN CURRENT UPDATES, SEE
http://thomsonderwent.com/coverage/latestupdates/ <<<

>>> FOR INFORMATION ON ALL DERWENT WORLD PATENTS INDEX USER
GUIDES, PLEASE VISIT:
http://thomsonderwent.com/support/userguides/ <<<

>>> NEW! FAST-ALERTING ACCESS TO NEWLY-PUBLISHED PATENT
DOCUMENTATION NOW AVAILABLE IN DERWENT WORLD PATENTS INDEX
FIRST VIEW - FILE WPIFV.
FOR FURTHER DETAILS: http://www.thomsonderwent.com/dwpifv <<<

>>> THE CPI AND EPI MANUAL CODES HAVE BEEN REVISED FROM UPDATE 200501.
PLEASE CHECK:
http://thomsonderwent.com/support/dwpiref/reftools/classification/code-revision/
FOR DETAILS. <<<

=> d all l4

L4 ANSWER 1 OF 1 WPIX COPYRIGHT 2005 THE THOMSON CORP on STN
AN 2001-367105 [38] WPIX
DNC C2001-112480
TI Method for coupling molecules, e.g. peptides and oligonucleotides, and new intermediates and reagents.
DC B04 B05
IN GAIT, M J; STETSENKO, D
PA (MEDI-N) MEDICAL RES COUNCIL
CYC 95
PI WO 2001015737 A2 20010308 (200138)* EN 39 A61K047-48
RW: AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TZ UG ZW
W: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
AU 2000068539 A 20010326 (200138) A61K047-48
EP 1207909 A2 20020529 (200243) EN A61K047-48
R: AL AT BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI
JP 2003508450 W 20030304 (200319) 44 C07K001-00
ADT WO 2001015737 A2 **WO 2000-GB3306 20000825**; AU 2000068539 A AU 2000-68539 20000825; EP 1207909 A2 EP 2000-956666 20000825, **WO 2000-GB3306 20000825**; JP 2003508450 W **WO 2000-GB3306 20000825**, JP 2001-520148 20000825
FDT AU 2000068539 A Based on WO 2001015737; EP 1207909 A2 Based on WO 2001015737; JP 2003508450 W Based on WO 2001015737
PRAI **GB 2000-12083 20000518; GB 1999-20397 19990827**
IC ICM A61K047-48; C07K001-00
ICS A61K031-7088; A61K048-00; A61P043-00; C07K007-00; C07K014-00
AB WO 200115737 A UPAB: 20010711
NOVELTY - Linking an amine derivative (I') with a hydroxy derivative (II') comprises reacting an alkyl or aryl thio ester (I) with an amino thioether (II).
DETAILED DESCRIPTION - Linking an amine derivative (I') with a hydroxy derivative (II') comprises reacting an alkyl or aryl thioester (I) with an amino thioether (II).
M1 = residue of a molecule bearing an amino group;
A' = alkylene or arylene;
R1 = alkyl or aryl;
M2 = residue of a molecule bearing a hydroxy group;
B' = linker;
D' = 1-4C alkylene or 3-12C arylene;
R2 = H or a thiol protecting group.
INDEPENDENT CLAIMS are included for the following:

(a) compounds (I) and (II) are claimed as new per se;
(b) new alkyl or aryl thio esters of formula (III);
(c) new amino thioethers of formula (IV);
(d) compounds containing an amido mercapto structural unit of formula (V);
(e) new amido thio derivatives of formulae (VI) and (VII);
(f) the preparation of (I) and (II); and
(g) kits comprising (III) and/or (IV).
R5 = OH, oxy anion and salts, alkoxy, aryloxy, N-succinimidyloxy, N (norbornenedicarboximido)oxy, N-benzotriazolyloxy, N-(1,2-dihydro 1-oxo-2,3,4-benzotriazin-2-yl)oxy, halo or N-azolyl; or together with the adjacent CO groups forms an anhydride;
R6 = dialkylamino, imino, halo, N-azolyl, alkoxy, aryloxy, alkylthio or arylthioaryl;
J' = alkylene or arylene; and
Y' = labelling, reporter or effector group.
(I)-(VI) may be linked to a solid support.
USE - Compounds (I)-(VI) are useful e.g. for linking a peptide and an oligonucleotide.
Dwg. 0/0
FS CPI
FA AB; GI; DCN
MC CPI: B10-B03B; B10-D03

=> b home

FILE 'HOME' ENTERED AT 10:43:24 ON 11 MAY 2005

=>